

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time: May 27, 2004

Site Contact(s): Dyan Foss
Phone: (303) 966-7577

Regulatory Contact: David Kruchek
Phone: (303) 692-3328

Agency: CDPHE

Purpose of Contact: Building 881 Backfilling of Rooms 247 through 249

Discussion

This contact record is to document the consultative process and CDPHE approval of the pre-demolition surveys conducted to support backfilling of Rooms 247 through 249, also known as the vaults, in Building 881. The surveys demonstrating these areas were at unrestricted release were provided to CDPHE during a bi-monthly B881 status meeting on May 13. In addition, follow-up information was provided on the surveys and information copies of the work packages were provided to CDPHE.

The vaults are one level rooms attached to the B881 annex and hallway to the east dock. The doorway between the vaults and the east dock hallway has been blocked with cinderblock. In order to prepare the building for demolition and ensure these rooms are adequately filled, an excavator will be used to remove the soil overburden from the vaults and the roof/ceiling will be demolished with the excavator. The metal covers on the vault groundwater drainage system will be removed and the area around the drainage system will be broken up with the hammer on the excavator disrupting the drains. After this is complete, the entire vault area will be backfilled with soil. All of the vault rooms are currently greater than 3 feet below final grade.

Contact Record Prepared By: Dyan Foss

Required Distribution:


M. Aguilar, USEPA
S. Bell, DOE-RFPO
B. Birk, DOE-RFPO
C. Deck, K-H Legal
D. Foss, K-H 707/776/777
C. Gilbreath, K-H 771/774
S. Gunderson, CDPHE
G. Kleeman, USEPA
J. Legare, DOE-RFPO

R. Leitner, K-H 371/374
J. Mead, K-H ESS
G. Morgan, DOE-RFPO
S. Nesta, K-H RISS
K. North, K-H ESS/MS
R. Schassburger, DOE-RFPO
D. Shelton, K-H ESS
C. Zahm, K-H Legal

Additional Distribution:

Mike Swartz
Don Clark
Justin Ward

Contact Record 4/10/00
Rev. 3/25/04



ADMIN RECORD